

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.10.2010

Revision: 22.10.2010

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product details:**
- **Trade name:** **VIKING SAE 30**
- **Article number:** 0781 309 0011, 0781 309 0012
- **Application of the substance / the preparation** Engine oil
- **Manufacturer/Supplier:**  
Viking GmbH  
Hans Peter Stihl-Straße 5  
A-6336 Langkampfen/Kufstein  
Tel: +43(0)5372-6972-298  
Fax: +43(0)5372-61183-298
- **Informing department:**  
Produktmanagement Forsttechnik  
Tel: +49(0)7151-26-3237  
Fax: +49(0)7151-26-83237
- **Emergency information:**  
Tel: +49-621-60-43333  
Fax: +49-621-60-92664

### 2 Hazards identification

- **Classification of the substance or mixture**
  - **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Void
  - **Information concerning particular hazards for human and environment:** Not applicable.
- 
- **Label elements**
  - **Labelling according to EU guidelines:**  
The material is not subject to classification according to EC lists and other sources of literature known to us.  
Observe the normal safety regulations when handling chemicals  
The product is not subject to identification regulations under EC Directives and the Ordinance on Hazardous Materials.

### 3 Composition/information on ingredients

- **Chemical characterization:**
- **CAS No. Designation:**  
void
- **Identification number(s):**
- **EINECS Number:** void
- **Chemical characterization**
- **Description:** Mineral oil emulsive preparation of product-specific addition agents.

### 4 First aid measures

- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** Generally the product does not irritate the skin.
- **After eye contact** Rinse opened eye for several minutes under running water.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 22.10.2010

Revision: 22.10.2010

Trade name: **VIKING SAE 30**

(Contd. of page 1)

- **After swallowing** Rinse out mouth and then drink plenty of water.

### 5 Firefighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet.  
Use fire fighting measures that suit the environment.
- **Special hazards caused by the material, its products of combustion or resulting gases:**  
Can be released in case of fire  
Carbon monoxide (CO)
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear self-contained breathing apparatus.
- **Additional information**  
Use water to keep fire exposed containers cool.  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Person-related safety precautions:** Particular danger of slipping on leaked/spilled product.
- **Measures for environmental protection:**  
Do not allow to enter drainage system, surface or ground water.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, universal binders) and disposal in suitable containers.  
Remove from the surface of water (e.g. skim or vacuum off)  
Should larger amounts of liquid run out stem it and dispose it of.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- **Additional information:**  
See Section 13 for information on disposal.  
No dangerous substances are released.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:**  
Avoid the formation of oil haze.  
Avoid contact with eyes and skin.  
No special precautions necessary if used correctly.  
No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and containers:**  
Prevent any penetration into the ground.  
Keep container tightly closed and store upright to prevent any run out of product.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** Must be stored in a collecting room.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with limit values that require monitoring at the workplace:** Not required.

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 22.10.2010

Revision: 22.10.2010

Trade name: VIKING SAE 30

(Contd. of page 2)

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **Personal protective equipment**
- **General protective and hygienic measures**  
Do not carry cleaning cloths impregnated with the product in trouser pockets.  
Be sure to clean skin thoroughly after work and before breaks.  
Do not eat, drink or smoke while working.
- **Breathing equipment:** Use breathing protection only when aerosol or mist is formed.
- **Protection of hands:**  
Oil resistant gloves  
If only a short-term loading of the glove material by splashes is expected, tricoted gloves with higher wearability for the better acceptance of the users are recommended.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
In case of a layer thickness of 0.4 mm the penetration time is longer than 480 minutes.  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:**  
Nitrile rubber, NBR
- **Eye protection:** Safety glasses recommended during refilling.
- **Body protection:** Protective work clothing.

## 9 Physical and chemical properties

- |   |                                      |
|---|--------------------------------------|
| · <b>General Information</b>              |                                      |
| · <b>Appearance:</b>                      |                                      |
| Form:                                     | Fluid                                |
| Colour:                                   | Brown                                |
| · <b>Odour:</b>                           | Mineral-oil-like                     |
| · <b>Change in condition</b>              |                                      |
| Melting point/Melting range:              | Not determined                       |
| Boiling point/Boiling range:              | Not determined                       |
| · <b>Pour point:</b>                      | < -25°C                              |
| · <b>Flash point:</b>                     | > 220°C (DIN EN ISO 2592)            |
| · <b>Danger of explosion:</b>             | Product is not explosive.            |
| · <b>Density at 20°C</b>                  | 0.88 g/cm <sup>3</sup> ((DIN 51757)) |
| · <b>Solubility in / Miscibility with</b> |                                      |
| Water:                                    | Not miscible or difficult to mix     |
| · <b>Viscosity:</b>                       |                                      |
| kinematic at 20°C:                        | 11 mm <sup>2</sup> /s (DIN 51562)    |
| · <b>Solvent content:</b>                 |                                      |
| Organic solvents:                         | 0.0 %                                |
| VOC (EC)                                  | 0.00 %                               |

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 22.10.2010

Revision: 22.10.2010

Trade name: VIKING SAE 30

(Contd. of page 3)

<b>Solids content:</b>	1.0 %
------------------------	-------

### 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Materials to be avoided:** Avoid contact with strong oxidizing agents.
- **Dangerous reactions** No dangerous reactions known
- **Dangerous products of decomposition:**  
None in case of intended use and storage in compliance with instructions.

### 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:**  
Longer or repeated contact with the product reduces the natural readipogenesis of the skin and results in the desiccation of the skin. That product can be absorbed via the skin.
- **on the eye:** Splashes can cause temporary eye irritation.
- **Sensitization:**  
Sensitive persons can possibly have allergic reactions. This is also valid below the fixed levels of exposure.
- **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.  
The substance is not subject to classification according to the latest version of the EU lists.

### 12 Ecological information

- **Information about elimination (persistence and degradability):**
- **Other information:** The product is biodegradable.
- **Behaviour in environmental systems:**
- **Components:**  
A product that has flown out can lead to the formation of a film on the water surface which reduces the oxygen exchange and results in the organisms dying-off.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.  
Do not allow product to reach ground water, water bodies or sewage system.  
Danger to drinking water if even small quantities leak into soil.

### 13 Disposal considerations

- **Product:**
- **Recommendation**  
The product is suitable for processing by an approved recycling facility or can be disposed of at any government approved waste disposal facility.  
When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.  
Delivery of waste oil only to officially authorized collectors.

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 22.10.2010

Revision: 22.10.2010

Trade name: VIKING SAE 30

(Contd. of page 4)

Smaller quantities can be disposed of with household waste.

The waste code numbers mentioned are recommendations based on the probable use of the product.

- **European waste catalogue**

13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)
13 02 00	waste engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils

- **Uncleaned packagings:**

- **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings.

### 14 Transport information

- **Land transport ADR/RID (cross-border)**

- **ADR/RID-GGVSE Class:** -  
No hazardous good.

- **Maritime transport IMDG:**

- **IMDG Class:** -  
No hazardous good.

- **Marine pollutant:** No

- **Air transport ICAO-TI and IATA-DGR:**

- **ICAO/IATA Class:** -  
Not Restricted.

- **Transport/Additional information:** Not dangerous according to the above specifications.

### 15 Regulatory information

- **Chemical safety assessment** A Chemical Safety Assessment has not been carried out.

- **National regulations**

- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

### 16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing data specification sheet:**

The safety data sheets were drawn up in cooperation with the Umweltkanzlei Dr.Rhein Beratungs- und Prüfgesellschaft mbH, Phone: +49 5066 900990.